



TAVLIT DISC FILTERS - 20MM - 50MM

Tavlit Disc filters are used for protection in drip, spray and sprinkler watering systems. Filters are available in sizes from 20mm to 50mm.

FEATURES

- Unique swivel quick installation
- Interchangeable filtration elements: Disc and Screen elements fit the same filter body
- High flow, low pressure loss
- Easy maintenance
- UV resistant
- Removable flushing cap
- BSP male or female thread

APPLICATIONS

- Water filtration for Agriculture, Turf, domestic and industrial application

SPECIFICATIONS

- Max recommended operating pressure 20/25mm: 800kPa
- Max recommended operating pressure 40/50mm: 1000 kPa
- Cartridge Spring: Stainless Steel
- Gaskets: EPDM
- Body: Polypropylene



MODELS	CODE
20mm x 120 disc (Red)	SF34D120
25mm x 120 disc (Red)	SF1D120
40mm x 120 disc (Red)	SF40D120
50mm x 120 disc (Red)	SF50D120

SPARE PARTS DISC ELEMENTS	CODE
120mesh disc element to suit 20/25mm body	SF1DE-120
120mesh disc element to suit 40mm body	SF40DE-120
140mesh disc element to suit 40mm body	SF40DE-140
40mesh disc element to suit 40mm body	SF40DE-40
80mesh disc element to suit 40mm body	SF40DE-80
120mesh disc element to suit 50mm body	SF50DE-120
140mesh disc element to suit 50mm body	SF50DE-140
40mesh disc element to suit 50mm body	SF50DE-40
80mesh disc element to suit 50mm body	SF50DE-80

FILTRATION_TAVLIT_SFXXDXXX_V1.11-21

www.hrproducts.com.au



PERTH

PH: 08 9484 6500

FAX: 08 9455 1680

hrsales@hrproducts.com.au

SYDNEY

PH: 02 9616 1300

FAX: 02 9725 5283

infonsw@hrproducts.com.au

MELBOURNE

PH: 03 8458 7400

FAX: 03 9457 7400

infovic@hrproducts.com.au

BRISBANE

PH: 07 3080 6200

FAX: 07 3806 0533

infoqld@hrproducts.com.au

ADELAIDE

PH: 08 8408 7200


FAX: 08 8341 0707

infosa@hrproducts.com.au




TAVLIT DISC FILTERS - 20MM - 50MM

FILTER DIMENSIONS



Physical Dimensions				
	A	B	L	D
Model	mm	mm	mm	mm
20-25mm	121	160	153	31
40mm	257	240	220	80
50mm	257	270	265	80

MATERIALS



Body: P.P
Spin: P.P
Cup: P.P
Disc: P.P
Sleeve: P.P
Springs: Stainless Steel
O-Rings: EPDM

FILTRATION_TAVLIT_SFXXDXXX_V1.11-21

www.hrproducts.com.au



PERTH

PH: 08 9484 6500

FAX: 08 9455 1680

hrsales@hrproducts.com.au

SYDNEY

PH: 02 9616 1300

FAX: 02 9725 5283

infonsw@hrproducts.com.au

MELBOURNE

PH: 03 8458 7400

FAX: 03 9457 7400

infovic@hrproducts.com.au

BRISBANE

PH: 07 3080 6200

FAX: 07 3806 0533

infoqld@hrproducts.com.au

ADELAIDE

PH: 08 8408 7200

FAX: 08 8341 0707

infosaa@hrproducts.com.au



TAVLIT DISC FILTERS - 20MM - 50MM

FLOW vs LOSS CHART (kpa)

Flow vs Loss Chart (kpa)				
Flow l/min	20mm	25mm	40mm	50mm
16	0.7	0.1		
33	2	1	1	
50	4	2	2	1
66	6.4	3	3.5	2.4
83		5	4.5	3.8
100		8.2	8	5
116			11	7
133			15	9.5
150			19	12.5
166			22	15.5
200			29	20
233			37	24
266			45	30
300				43
333				70

	20mm	25mm	40mm	50mm
Flow Range LPM	16-66	16-100	33-250	33-300
Disc Filter Area	180cm ²	180cm ²	385cm ²	488cm ²
Disc Mesh Range	80-140	80-140	40-140	40-140

FILTRATION_TAVLIT_SFXXDXXX_V1.11-21

www.hrproducts.com.au



PERTH
PH: 08 9484 6500
FAX: 08 9455 1680
hrrsales@hrproducts.com.au

SYDNEY
PH: 02 9616 1300
FAX: 02 9725 5283
infonsw@hrproducts.com.au

MELBOURNE
PH: 03 8458 7400
FAX: 03 9457 7400
infovic@hrproducts.com.au

BRISBANE
PH: 07 3080 6200
FAX: 07 3806 0533
infoqld@hrproducts.com.au

ADELAIDE
PH: 08 8408 7200
FAX: 08 8341 0707
infossa@hrproducts.com.au