

Putting Water Where it Counts!®



CFa AgSpray™

Made in Australia

antelco.com

CFa AgSpray™

A high performance 360° 12-stream Hi-Lo open spray jet designed for agricultural irrigation systems. C-Frame with no moving parts for long life in harsh conditions.

Features

- Colour coded for flow rate identification.
- 26° High x 12.5° Low Trajectory
- Robust proven C-Frame design.
- No moving parts.
- “Quick” thread inlet with sealing barb.
- UV stabilised materials for long life.
- Stake assemblies includes self piercing adaptor for easy installation in lateral tubing. **NEW**



Scan to see how it works



Applications

Specifically designed for orchards and horticultural crops.

Accessories: Asta® Stake, Rigid Riser and Micro Stake.



CFa AgSpray™ Stake Assembly with 600 mm Tube and Self Piercing Adaptor

Performance Chart

Pattern/ Trajectory	360° x 12 Streams - hi Lo 26° High x 12.5° Low Trajectory 					
	Tested at 0.2 m above ground					
Nozzle Size & Colour	Pressure (kPa)	Flow (lph)	Diameter (m) High Low		Hydraulic Flow Data Constant (k) Exponent (x)	
0.8 mm Black	50	16	2.6	2.0	2.382	0.49
	100	22	3.5	2.8		
	150	27	4.2	3.4		
	200	31	4.8	3.9		
	250	35	5.3	4.4		
0.9 mm Brown	50	20	3.1	2.3	2.593	0.52
	100	28	4.1	3.1		
	150	35	4.8	3.8		
	200	41	5.3	4.4		
	250	46	5.8	4.9		
1.0 mm Blue	50	24	3.4	2.4	3.583	0.49
	100	33	4.2	3.4		
	150	41	4.8	4.1		
	200	47	5.3	4.7		
	250	52	5.6	5.2		
1.1 mm Grey	50	31	4.1	3.2	4.246	0.51
	100	44	5.3	4.2		
	150	54	6.0	4.9		
	200	63	6.6	5.5		
	250	70	7.2	6.0		
1.5 mm Red	50	51	5.5	4.3	6.807	0.52
	100	73	6.9	5.6		
	150	90	7.9	6.5		
	200	104	8.8	7.3		
	250	117	9.4	8.0		
2.1 mm Purple	50	96	6.2	5.4	13.735	0.50
	100	136	8.4	7.4		
	150	165	9.8	8.6		
	200	190	11.0	9.0		
	250	215	12.0	9.2		



CFa AgSpray™ Range

Ordering Information - CFa AgSpray™

Nozzle Size & Colour	Order Code	Pack Quantity	Packs Per Carton	Carton (kg)
0.8 mm Black	13005	100	90	15.0
0.9 mm Brown	13075	100	90	15.0
1.0 mm Blue	13015	100	90	15.0
1.1 mm Grey	13065	100	90	15.0
1.5 mm Red	13055	100	90	15.0
2.1 mm Purple	13085	100	90	15.0

Ordering Information - CFa AgSpray™ Stake Assembly w/ 600mm Tube & Adaptor

Nozzle Size & Colour	Order Code	Pack Quantity	Packs Per Carton	Carton (kg)
0.8 mm Black	41605	25	5	6.9
0.9 mm Brown	41675	25	5	6.9
1.0 mm Blue	41615	25	5	6.9
1.1 mm Grey	41665	25	5	6.9
1.5 mm Red	41655	25	5	6.9
2.1 mm Purple	41685	25	5	6.9

Antelco Group of Companies

LINCOLN
— Est. 1959 —
MOULDING THE FUTURE

ANTELCO®

Dawn



Antelco Australia
Antelco Pty Ltd ABN 50 008 062 708
Sales & Marketing,
Orders & Warehouse
Research & Development
PO Box 95, 131 Tolley Rd,
St Agnes SA 5097 Australia
+61 8 8334 4333
adelaide@antelco.com.au

Antelco USA
Antelco Corporation
Sales & Marketing,
Orders & Warehouse
886 Waterway Pl,
Longwood,
Florida 32750 USA
+1 407 331 0699
info@antelco.com

Antelco Europe
Antelco UK Limited
Sales & Marketing,
Orders & Warehouse
17a Chartmoor Rd,
Leighton Buzzard,
Bedfordshire LU7 4WG UK
+44 152 585 9990
orders@antelco.co.uk